

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. Cancelled
2. Cancelled.
3. Cancelled.
4. Cancelled.
5. Cancelled
6. Cancelled.
7. Cancelled.
8. Cancelled
9. Cancelled.
10. Cancelled.
11. Cancelled

12. (Previously Presented) A method of processing a developer, including ferromagnetic toner and hard magnetic carriers, for developing an electrostatic image, comprising:

heating a set developer, adding a relatively small amount of ferromagnetic toner to said set developer, and exercising said set developer with a magnetic brush and a blender prior to using said developer for developing said electrostatic image, while removing developer from a toning shell for transporting developer for developing said electrostatic image.

13. (Previously Presented) The method of processing a developer of claim 12, wherein said developer is heated to a normal operating temperature.

14. (Previously Presented) The method of processing a developer of claim 12, wherein said added amount of ferromagnetic toner is on the order of 0.1 to 1.0% by weight of said developer mass.

15. (Previously Presented) The method of processing a developer of claim 12, wherein said added amount of ferromagnetic toner is on the order of 0.5%.

16. Cancelled.

17. Cancelled.

18. Cancelled.

19. Cancelled.

20. Cancelled.

21. (Previously Presented) A method of processing a developer, including ferromagnetic toner and hard magnetic carriers, comprising:
exercising a fully developed, set developer in a pre-imaging blending cycle with a magnetic brush and a blender while simultaneously heating the developer.

22. (Previously Presented) The method of processing a developer of claim 21, wherein said developer is heated to a normal operating temperature.

23. (Previously Presented) The method of processing a developer of claim 21, further adding a relatively small amount of ferromagnetic toner to the developer.

24. (Previously Presented) The method of processing a developer of claim 23, wherein the added amount of ferromagnetic toner is on the order of 0.1 to 1.0% by weight of said developer mass.

25. (Previously Presented) The method of processing a developer of claim 23, wherein the added amount of ferromagnetic toner is on the order of 0.5% by weight of said developer mass.

26. (Previously Presented) The method of processing a developer of claim 23, wherein said adding said amount of ferromagnetic toner takes place before said exercising of said set developer.

27. (Previously Presented) The method of processing a developer of claim 23, wherein said adding said amount of ferromagnetic toner takes place during said exercising of said set developer.